

---

-continued

---

```

accacgcgtt tatcacgaac gggttcgtaa gccacgctac tggcctcacc ggtctgaact 1140
caggcctcac gacaatccct ggtgtatccg cttggcaggta caacacagctatactgcgg 1200
gacaatttgtt cacatataaac ggcaagacgt ataaatgttt gcagccccac acctccttg 1260
caggatggga accatccaaac gttccctgccc tgtggcagct tcaatga 1307

<210> SEQ ID NO 21
<211> LENGTH: 120
<212> TYPE: PRT
<213> ORGANISM: Escherichia coli

<400> SEQUENCE: 21

Met Asn Thr Tyr Ser Ile Thr Leu Pro Trp Pro Pro Ser Asn Asn Arg
1 5 10 15

Tyr Tyr Arg His Asn Arg Gly Arg Thr His Val Ser Ala Glu Gly Gln
20 25 30

Ala Tyr Arg Asp Asn Val Ala Arg Ile Ile Lys Asn Ala Met Leu Asp
35 40 45

Ile Gly Leu Ala Met Pro Val Lys Ile Arg Ile Glu Cys His Met Pro
50 55 60

Asp Arg Arg Arg Asp Leu Asp Asn Leu Gln Lys Ala Ala Phe Asp
65 70 75 80

Ala Leu Thr Lys Ala Gly Phe Trp Leu Asp Asp Ala Gln Val Val Asp
85 90 95

Tyr Arg Val Val Lys Met Pro Val Thr Lys Gly Gly Arg Leu Glu Leu
100 105 110

Thr Ile Thr Glu Met Gly Asn Glu
115 120

```

---

1. A method to inhibit or disrupt a biofilm comprising contacting the biofilm with an agent that cleaves the Holliday junction (HJ) structure in the biofilm.

2. The method of claim 1, wherein the contacting is in vitro or in vivo.

3. The method of claim 1, wherein the agent is an HJ-specific endonuclease.

4. The method of claim 3, wherein the HJ-specific endonuclease is a RuvABC polypeptide or a RusA polypeptide or both.

5. The method of claim 4, wherein the RusA polypeptide comprises the polypeptide MVNTYSITLPWPPSNN-  
RYYRHNRGRTHVSAEGQAYRDNVARIKNA  
-DIGLAMPVKI RIECHMPDRRRDLDNLQKA  
-DALTKAGFWLDDAQVVDYRVVKMPVTKG  
-RLELTITEMGN  
EA (SEQ ID NO: 1), or an equivalent thereof.

6. The method of claim 4, wherein the RuvABC polypeptide comprises the polypeptides MIGRLRGIBEKQP-  
PLVLIEVGVG  
YEVHMPMTCFYELPEAGQEAVF  
HFVVR  
EDAQLL YGFNNKQERTLFKE  
LIK  
TNGVGP  
KLALAILSGMSAQ  
QFVN  
AVER-  
EEV  
GALV  
KLP  
GIGKK  
TAER  
LIVEM  
KDRFKGLHG  
LFT-  
PAADLV  
LTSP  
ASP  
ATDDAE  
QEAV  
AVAL  
VALGY  
KPQEAS  
RMV  
SKIAR  
PDASSET  
LIREAL  
RALA  
(SEQ ID NO: 4);  
MIEADRLISAG  
TTLPEDVADRAIR-  
PKL  
LEEYVG  
QPVRS  
QM  
E  
IFIK  
AAK  
LRG  
DAL  
DHLL  
IF  
GPP  
GLG  
KT  
TLAN  
IVAN  
EMGV  
NLR  
TTSG  
GPV  
LEK  
AGD-  
LAAM  
LTN  
LEPH  
DVL  
FIDE  
IHRL  
SP  
VVEEV  
LYP  
AMED-

YQLDIMIGE  
GAARS  
SIKID  
LPPFTLIG  
ATTRAGSLT-  
SPLRDRFGIVQR  
LEYQVPDLQYIVSR  
SARFM  
GLEMS  
DDGAL-  
EVARR  
ARGTP  
RIAN  
RLL  
RRV  
RDFAE  
VKHD  
GTISADI-  
AAQAL  
DML  
NVDA  
EGFDY  
MDRKLL-  
LAVIDK  
FFGGPV  
GLDN  
LAAA  
IGEERETIE  
DVLEPYLI  
QQGFL  
QRTP  
RGRMAT-  
TRAWN  
HFGIT  
PPPEMPA  
(SEQ ID NO: 2); and  
MASAIIL  
GIDPG  
SRTV  
GYGV  
IRQV  
GRQL  
SYLGSG-  
CIRT  
KVDD  
LPSR  
LKLI  
YAGV  
TEIT  
QFQ  
PDYFA  
IEQVF-  
MAKN  
ADSALK  
LGQ  
ARG  
VAIA  
AVN  
QELPV  
FEYA  
AR-  
QV  
KQT  
VGIG  
SAE

KSQV  
QHM  
VRT  
LLK  
LP  
PAN  
PQ  
ADA  
AD  
ALA-  
IA  
ITH  
CH  
VSQ  
NAM  
QM  
SES  
RLN  
LAR  
GRL  
RA (SEQ ID NO: 3), or an equivalent of each thereof, wherein an equivalent contains the mutated amino acids as shown in the bold font.

7. The method of claim 1, wherein the biofilm is caused by one or more of uropathogenic *Escherichia coli* (UPEC), nontypeable *Haemophilus influenzae* (NTHI), *S. epidermidis*, *Streptococcus agalactiae*, *Neisseria meningitidis*, *Treponemes*, *denticola*, *pallidum*, *Burkholderia cepacia*, *Burkholderia pseudomallei*, *Moraxella catarrhalis*, *Streptococcus pneumoniae*, *Streptococcus pyogenes*, *Pseudomonas aeruginosa*, *Mycobacterium tuberculosis*, *Enterococcus faecium*, *Staphylococcus aureus*, *Klebsiella pneumoniae*, *Acinetobacter baumannii*, *Pseudomonas aeruginosa*, or *Enterobacter* species.